

# SCHOOL FLASHER QUANTITIES

ITEM	SHEET				TOTAL TO SHEET 7 and 8			UNIT	DESCRIPTION
	NH-	NH-	C-	STP-	NH-	STP-	C-		
	37	38	39	41					
625	2	2	2	2	4	2	2	EACH	GROUND ROD
625				3		3		EACH	PULLBOX, 713.08, 18", AS PER PLAN
625				73		73		LIN FT	CONDUIT 2", 713.04
625				36		36		LIN FT	CONDUIT, JACKED OR DRILLED UNDER PAVEMENT, 3"
625				73		73		LIN FT	TRENCH
631	2	2	2	2	4	2	2	EACH	SCHOOL SPEED LIMIT SIGN ASSEMBLY, 36" x 48"
631	2	2	2	2	4	2	2	EACH	TIMER WITH ENCLOSURE
632	2.96	2.96	2.60	2.60	5.92	2.60	2.60	CU YD	CONCRETE FOR ANCHOR BASE FOUNDATIONS
632	2	2			4			EACH	SIGNAL SUPPORT, TYPE TC-81.20, DES. 1, 18' ARM
632			2	2		2	2	EACH	STRAIN POLE, TYPE TC-81.10, DES. 1, 12'
632				2		2		EACH	CONDUIT RISER, 2" DIAMETER
632	20	20	20	175	40	175	20	LIN FT	POWER CABLE, 3 CONDUCTOR, NO. 8 AWG
632	2	2	2	2	4	2	2	EACH	POWER SERVICE
632		2		2	2	2		EACH	REMOVAL OF TRAFFIC Signal INSTALLATION, AS PER PLAN

# CURB RAMP QUANTITIES

SHEET NO.	STATION		SIDE	202	202	608	
	FROM	TO		WALK REMOVED	CURB REMOVED	CURB RAMP TYPE 2	
				SQ FT	LIN FT	SQ FT	
STP-1099(15)	27	10+32	10+40	LT.	35	19	38
	27	10+30	10+35	RT.	25	5	25
	35	93+62	93+68	LT.	24	6	27
	35	93+57	93+68	RT.	40	13	39
<b>TOTAL STP-1099(15)</b>				124	43	129	
<b>TOTAL NH-69(91)</b>				0	0	0	
<b>GRAND TOTAL</b>				124	43	129	

6/1/84 2:00 PM PS.O-OR KAL