

GENERAL NOTES

LAKE COUNTY
LAK-283-0.000



PLAN NO.

RIGHT-OF-WAY

ALL WORK SHALL BE PERFORMED WITHIN THE EXISTING RIGHT-OF-WAY.

CONTINGENCY QUANTITIES

THE CONTRACTOR SHALL NOT ORDER MATERIALS OR PERFORM WORK LISTED IN THE GENERAL SUMMARY FOR ITEMS DESIGNATED BY PLAN NOTE TO BE USE "AS DIRECTED BY THE ENGINEER" UNLESS AUTHORIZED BY THE ENGINEER. THE ACTUAL WORK LOCATIONS AND QUANTITIES USED AT THE ENGINEER'S DISCRETION SHALL BE MADE A MATTER OF RECORD BY INCORPORATION INTO THE FINAL CHANGE ORDER GOVERNING COMPLETION OF THIS PROJECT.

UTILITY OWNERSHIP

THE FOLLOWING UTILITIES AND OWNERS ARE LOCATED WITHIN THE WORK LIMITS OF THIS PROJECT:

THE CLEVELAND ELECTRIC ILLUMINATING CO.
3601 RIDGE ROAD
CLEVELAND, OHIO 44102
(216) 634-7303

CABLEVISION
14300 S. INDUSTRIAL AVE.
MAPLE HEIGHTS, OHIO 44137
(216) 663-4004

AMERITECH
13630 LORAIN AVE. 4TH FLOOR
CLEVELAND, OHIO 44111
(216) 476-6142

LAKE COUNTY DEP'T. OF UTILITIES
ADMINISTRATION BUILDING
105 MAIN STREET
PAINESVILLE, OHIO 44077
(216) 664-3247

EAST OHIO GAS COMPANY
1201 EAST 55TH STREET
CLEVELAND, OHIO 44103
(216) 736-6675

CITY OF WILLOWICK
30435 LAKESHORE BLVD.
WILLOWICK, OHIO 44095
(216) 585-3700

CASTINGS ADJUSTED TO GRADE BY PRIVATE UTILITY COMPANIES

ALL CASTINGS IN THE PAVEMENT OWNED BY PRIVATE UTILITY COMPANIES SHALL BE ADJUSTED TO GRADE BY THE RESPECTIVE UTILITY COMPANY PRIOR TO RESURFACING.

PROFILE AND ALIGNMENT

THE PROPOSED RESURFACING COURSES SHALL FOLLOW THE ALIGNMENT OF THE EXISTING PAVEMENT. THE PROPOSED ASPHALT CONCRETE OVERLAY SHALL HAVE A UNIFORM THICKNESS OF APPROXIMATELY 32mm OF ITEM 448- ASPHALT CONCRETE.

EXISTING TYPICAL SECTIONS

EXISTING TYPICAL SECTIONS ARE BELIEVED TO REPRESENT THE EXISTING PAVEMENT STRUCTURE, BUT THE STATE OF OHIO DOES NOT GUARANTEE THEIR ACCURACY.

CURB RAMP

TYPE 1 OR TYPE 2 CURB RAMPS SHALL BE CONSTRUCTED AT SIGNALIZED AND UNSIGNALIZED INTERSECTIONS AS SHOWN ON THE PLANS. THE EXACT TYPE AND LOCATION OF CURB RAMPS SHALL BE DETERMINED IN THE FIELD AS DIRECTED BY THE ENGINEER.

THE FOLLOWING ESTIMATED QUANTITIES IN ADDITION TO THOSE SHOWN ON SHEET 95 HAVE BEEN INCLUDED IN THE GENERAL SUMMARY FOR WORK AS DIRECTED BY THE ENGINEER.

ITEM 608 - CURB RAMP, TYPE 1,	<u>60</u> SQ. METERS
ITEM 608 - CURB RAMP, TYPE 2,	<u>30</u> SQ. METERS
ITEM 202 - CURB REMOVED	<u>30</u> METERS
ITEM 202 - WALK REMOVED	<u>90</u> SQ. METERS

CURB REPLACEMENT

NEW CURBING SHALL BE INSTALLED IN ACCORDANCE WITH THE DETAILS AND LIMITS SHOWN ON THE PLANS OR AS DIRECTED BY THE ENGINEER. THE HEIGHT OF NEW CURBING SHALL BE ADJUSTED TO MATCH EXISTING CURB HEIGHT IN A DISTANCE OF 1.5 METERS FROM THE POINT WHERE MEETING EXISTING CURBING THAT IS TO REMAIN.

ITEM 609 - CURB, TYPE 6, AS PER PLAN

NEW CURBING SHALL BE INSTALLED IN ACCORDANCE WITH STANDARD CONSTRUCTION DRAWING BP-5.1M EXCEPT THAT THE CURB REVEAL SHALL BE 127 mm AS DETAILED ON SHEET 72.

93300 FRI 08/08/97 11:34 AM MATT FILES: GN1.PLT

GENNOTES - LAYER 1