

CALC. BY: _____
 DATE: _____
 CHKD. BY: _____
 DATE: _____

LAK - 306 - 7.12



OHIO

FHWA 5
 REGION

9
 452

TYPICAL SECTIONS

TYPE 451



SIDESTREET 2 LANE SECTION (INCLUDING PROPOSED DRAINAGE SWALES)

** DELETE ITEM 605-6" SHALLOW PIPE UNDERDRAIN WITH FABRIC WRAP
 HAWK AVENUE STA. 11+39.55 LT. & RT. TO STA. 11+46.00 LT. & RT. = 6.45 LIN. FT.
 JEREMY AVENUE STA. 10+98.31 LT. & RT. TO STA. 11+26.00 LT. & RT. = 27.69 LIN. FT.
 34.14 LIN. FT.

HAWK AVENUE STA. 10+26.00 TO STA. 11+46.00 = 120.00 LIN. FT.
 TEXAS AVENUE STA. 10+26.00 TO STA. 11+26.00 = 100.00 LIN. FT.
 JEREMY AVENUE STA. 10+26.00 TO STA. 11+26.00 = 100.00 LIN. FT.
 320.00 LIN. FT.

LEGEND

- ① ITEM 451 - 10" REINFORCED CONCRETE PAVEMENT, AS PER PLAN
- ② ITEM 310 - 6" SUBBASE, TYPE II, AS PER PLAN
- ③ ITEM 609 - CURB, TYPE 2-A
- ④ ITEM 203 - SUBGRADE COMPACTION
- ⑤ ITEM 605 - 6" SHALLOW PIPE UNDERDRAIN WITH FABRIC WRAP
- ⑦ ITEM 660 - SODDING
- (A) LONGITUDINAL PAVEMENT JOINT

STREET NAME	DIMENSIONS				
	"A"	"B"	"C"	"D"	"E"
HAWK AVENUE	25'	25'	24'-0"	12'-0"	12'-0"
TEXAS AVENUE	25'	25'	24'-0"	12'-0"	12'-0"
JEREMY AVENUE	30'	30'	22'-0"	11'-0"	11'-0"

FOR PAVEMENT QUANTITIES SEE SHEET 45-47
 FOR CURB QUANTITIES SEE SHEET 48-49
 FOR SODDING QUANTITIES SEE SHEET 81