

Scenic segments - Stillwater River from Riffle Road bridge in Darke Co. to Englewood dam. Greenville Creek from the Ohio-Indiana state line to the confluence with the Stillwater. Miles designated (approximate): Scenic 83, Recreational 10

(i) Chagrin River - Aurora Branch from St. Rt. 82 bridge downstream to confluence with Chagrin. Chagrin River from confluence with Aurora Branch downstream to St. Rt. 6 bridge. East Branch from Heath Road bridge downstream to confluence with Chagrin. Miles designated (approximate): 49

(j) Big and Little Darby Creeks - Big Darby Creek from the Champaign-Union County line downstream to the U.S. Rt. 40 Bridge, from the northern boundary of Battelle-Darby Creek Metro Park to the confluence with the Little Darby Creek downstream to the Scioto River. Little Darby Creek from the Lafayette-Plain City Road Bridge downstream to the confluence with Big Darby Creek. Miles designated (approximate): 84

(k) Kokosing River - Knox/Morrow County line to confluence with Mohican River. North Branch of Kokosing from confluence with East Branch downstream to confluence with main stem. Miles designated (approximate): 48

OHIO STATE CERTIFICATION GENERAL CONDITIONS FOR NATIONWIDE PERMITS.

The following general conditions apply to Nationwide Permits 4, 5, 6, 13, 15, 16, 18, 19, 20, 22, 23, 25, 29, 30, 31, 32, 33, 34, 36, 37, and 38.

A) Steps shall be taken, upon completion of the projects, to ensure bank stability. This may include, but is not limited to, the placement of riprap or bank seeding.

B) Any damages to the immediate environment of the project by equipment needed for construction or hauling will be repaired immediately.

C) Care must be employed throughout the course of this project to avoid the creation of unnecessary turbidity which may degrade water quality or adversely affect aquatic life outside the project areas.

D) For Nationwide Permits 21, 29, 33, 37, and 38, that require Agency coordination, in accordance with the Nationwide Permit General Condition entitled "Notification", Number 13(e), the Corps shall submit a pre-construction notification to Ohio EPA for review and comment.

The following general conditions apply to Nationwide Permits 3, 7, 12, 14, 27, 39, 40, 41, 42, and 43.

A) Stream limitations:

1) Temporary or permanent impacts to intermittent and perennial streams for any single and complete project are limited to a maximum of two hundred (200) linear feet [except for NWPs 12 & 27].

2) Temporary or permanent impacts to ephemeral streams for any single and complete project are limited to a maximum of three hundred (300) linear feet [except for NWPs 12 & 27].

3) Temporary or permanent impacts to Exceptional Warmwater Habitat (EWH), Cold Water Habitat (CWH), Seasonal Salmonid (SS) or equivalent stream designation are prohibited [except for NWP 3 and maintenance activities covered under NWP 12].

4) Temporary or permanent impacts to the designated portions of national or state scenic rivers are prohibited [except for NWP 3 and maintenance activities under NWP 12].

5) Stream reconstruction activities shall adhere to natural channel design techniques.

B) Wetland Limitations

1) Temporary or permanent impacts to Category 3 wetlands are prohibited.

2) Temporary or permanent impacts to Category 1 and 2 wetlands for any single and complete project are limited to a maximum total of ½ acre [except for NWP 27].

3) Wetland mitigation shall adhere to the requirements set forth in Ohio EPA's Wetland Water Quality Standards (OAC 3745-1-50 through 54). [In the event that suitable mitigation cannot be located within the watershed, mitigation may be located outside of the watershed if there are significant ecological reasons to do so].

C) General limitations:

1) Impacts shall be measured linearly from upstream to downstream, including the length of stream impoundments, when calculating the total length of stream impacts [except for NWP 12, for which impacts shall be measured bank-to-bank].

2) NWPs cannot be combined to increase any of the aforementioned limitations.

3) The Best Management Practices (BMPs) listed in D of this certification shall be utilized with all NWPs when applicable.

4) For any real estate subdivision which is exempted by the Corps of Engineers from the ½ acre threshold, the aggregate total loss of waters of the state in such subdivision shall not exceed one (1) acre of temporary or permanent impacts to wetlands or two hundred (200)