


Prop. Elev.	759.10	751.07	755.04	752.23	752.09	752.78	753.37	754.16	754.85	755.55	756.25	756.96	757.66	758.36	759.06	759.76	760.46	762.28
-------------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------

EXTRA AREA-GARDEN DR.

90 Sq.Yds. 1" Asph. conc. surface course	T-35
90 Sq.Yds. 1/2" Asph. conc. leveling course	B-35
90 Sq.Yds. 8" Portland cement conc. base	B-70
100 Sq.Yds. 4" Subbase Grade "D" or "C"	I-22
90 Sq.Yds. Bituminous tack coat	T-30
42 Cu.Yds. Excavation	E-1

STORM SEWERS

Ref. No.	Station		Side Rt. or Lt.	I-S EACH	
	From	To		Adjust to Grade C.B.	Std. M.H. #1
1-S	121+54	122+35	R&L	2	1
2-S	127+08		R&L	2	
TOTAL				4	1



Excavation	232	Cu.Yds.
Embankment	585	Cu.Yds.
Emb + 22%	714	Cu.Yds.

ESTIMATED QUANTITIES

REF. NO.	STATION TO STATION	DRIVEWAYS	T-35 For Drives	B-119 For Drives	E-1 For Drives	T-70 Conc. Drives
1-A	120+00 to 120+91	1	1	3	4	
2-A	120+91 to 121+67	1	1	3	4	2
3-A	121+67 to 125+44	1	1	2	2	2
4-A	125+44 to 126+29	1	1	2	2	
5-A	126+29 to 127+75	1	1	2	3	
6-A	127+75 to 128+98	1	1	2	3	
8-A	129+04 to 130+00	1	1	2	3	