



FRAMING PLAN



EXIST. BEAM ELEVATION



STUD SHEAR CONNECTOR LAYOUT
(BEAMS B, C, D)
(NO STUDS BEAMS A, E)

NOTE:
WELDING OF STUD SHEAR
CONNECTORS TO BE IN
ACCORDANCE WITH SS 863

NOTES:
WELDING OF ATTACHMENTS FOR SUPPORTS OF THE
CONCRETE DECK FINISHING MACHINE TO THE TOP FLANGE
IS NOT PERMITTED, EVEN IN COMPRESSION AREAS. THE
CONTRACTOR MAY SHOOT SHEAR CONNECTORS AT
LOCATIONS OF NECESSARY SUPPORT AT ANY LOCATION
ALONG THE CENTERLINE OF A FLANGE, INCLUDING
TENSION AREAS AND THE FASCIA BEAMS. THE
CONTRACTOR MAY THEN WELD ATTACHMENTS FOR
SUPPORTS OF THE CONCRETE DECK FINISHING MACHINE
TO THE SHEAR CONNECTORS.

WELDED SHEAR CONNECTORS SHALL NOT BE PLACED
WITHIN 2" OF ENDS OF MOMENT COVER PLATES.

Michael Benza & Associates Inc. Consulting Engineers and Surveyors	
DATE	12/3/01
REVIEWED	JNS
STRUCTURE FILE NUMBER	4303458
DRAWN	AMH
CHECKED	TJW
DESIGNED	TEN
PROJECT	LAK-90-0171
LOCATION	ROCKEFELLER RD. OVER I-90
PROJECT NUMBER	LAK-90-1.71
9 / 13	
25 29	