



**OCTA-1-3**

| A  | B | C  | GAUGE | SQ. FT. |
|----|---|----|-------|---------|
| 30 | 3 | 12 | .080  | 6.25    |
| 36 | 6 | 12 | .080  | 9.00    |




**OCTA-2-6**

| A  | B  | C  | D  | GAUGE | SQ. FT. |
|----|----|----|----|-------|---------|
| 48 | 12 | 24 | 12 | .100  | 16.00   |




**TRI-1-3**

| A  | B | C  | D  | R    | GAUGE | SQ. FT. |
|----|---|----|----|------|-------|---------|
| 36 | 3 | 10 | 11 | 2.00 | .100  | 3.90    |




**TRI-2-4**

| A  | B | C  | D  | R | GAUGE | SQ. FT. |
|----|---|----|----|---|-------|---------|
| 48 | 3 | 12 | 12 | 3 | .100  | 6.93    |
| 60 | 3 | 18 | 15 | 4 | .100  | 10.83   |




**DIA-1-3**

| A  | B  | R    | GAUGE | SQ. FT. |
|----|----|------|-------|---------|
| 24 | 12 | 1.50 | .063  | 4.00    |
| 30 | 15 | 1.88 | .080  | 6.25    |
| 36 | 18 | 2.25 | .080  | 9.00    |




**DIA-2-6**

| A  | B  | C  | D    | R | GAUGE | SQ. FT. |
|----|----|----|------|---|-------|---------|
| 48 | 15 | 15 | 3    | 3 | .100  | 16.00   |
| 60 | 18 | 18 | 3.75 | 3 | .100  | 25.00   |




**I.S.-1-2**

| A  | B  | C | D  | GAUGE | SQ. FT. |
|----|----|---|----|-------|---------|
| 24 | 24 | 3 | 9  | .063  | 4.00    |
| 30 | 24 | 3 | 9  | .080  | 5.00    |
| 30 | 30 | 3 | 12 | .080  | 6.25    |
| 40 | 30 | 3 | 12 | .080  | 8.33    |




**I.S.-1-3**

| A  | B  | C | D  | GAUGE | SQ. FT. |
|----|----|---|----|-------|---------|
| 36 | 36 | 6 | 12 | .080  | 9.00    |
| 48 | 36 | 6 | 12 | .100  | 12.00   |




**CO-1-2**

| A  | B  | C | R <sub>1</sub> | R    | GAUGE | SQ. FT. |
|----|----|---|----------------|------|-------|---------|
| 18 | 15 | 1 | 5              | 2    | .063  | 2.25    |
| 24 | 18 | 2 | 5.31           | 2.69 | .063  | 4.00    |
| 30 | 24 | 2 | 6.63           | 3.38 | .080  | 6.25    |




**PENT-1-3**

| A  | B  | C  | D | R    | GAUGE | SQ. FT. |
|----|----|----|---|------|-------|---------|
| 30 | 10 | 11 | 3 | 1.88 | .080  | 6.25    |
| 36 | 12 | 12 | 3 | 2.25 | .080  | 9.00    |
| 42 | 14 | 13 | 4 | 2.50 | .100  | 12.25   |



**CIR-1-3**

| A  | B  | GAUGE | SQ. FT. |
|----|----|-------|---------|
| 30 | 12 | .063  | 6.25    |
| 36 | 15 | .080  | 9.00    |




**ISOS-1-2**


| A  | B  | C    | D  | R    | GAUGE | SQ. FT. |
|----|----|------|----|------|-------|---------|
| 40 | 30 | 7.50 | 12 | 1.88 | .080  | 3.86    |
| 48 | 36 | 9    | 15 | 2.25 | .100  | 5.56    |

**ROUTE SHIELDS**


(FOR GUIDE SIGNS ONLY)



| A    | B  | C  | D  |
|------|----|----|----|
| 24   | 24 | 7  | 7  |
| 30   | 24 | 8  | 8  |
| 30   | 30 | 9  | 9  |
| 37.5 | 30 | 9  | 9  |
| 36   | 36 | 10 | 10 |
| 45   | 36 | 15 | 10 |



| A    | B  | C  | D  |
|------|----|----|----|
| 24   | 24 | 7  | 7  |
| 30   | 24 | 8  | 8  |
| 30   | 30 | 9  | 9  |
| 37.5 | 30 | 9  | 9  |
| 36   | 36 | 10 | 10 |
| 45   | 36 | 15 | 10 |



| A  | B  | C  | D  |
|----|----|----|----|
| 24 | 24 | 7  | 7  |
| 30 | 24 | 8  | 8  |
| 30 | 30 | 9  | 9  |
| 40 | 30 | 9  | 9  |
| 36 | 36 | 10 | 10 |
| 48 | 36 | 15 | 10 |

ALL SHIELDS SHALL BE .063 GAUGE

**NOTES**

1. ALL DIMENSIONS ARE IN INCHES, UNLESS OTHERWISE NOTED.
2. ALL BOLT HOLES SHALL BE  $\frac{3}{8}$ " DIAMETER, AND MAY BE DRILLED OR PUNCHED TO FINISHED SIZE.
3. DIMENSIONS BETWEEN BOLT HOLES SHALL BE TO TOLERANCE OF  $\pm \frac{1}{32}$  INCH.
4. FOR ADDITIONAL BLANK DETAILS SEE SIGN LAYOUT DRAWINGS.

SHAPE            NO. BOLTS REQUIRED             
**OCTA-2-6**  
 NO. SUPPORT REQUIRED           

ALL ITEMS SHALL CONFORM TO SUPPLEMENTAL SPECIFICATIONS 857 AND 957, UNLESS OTHERWISE SPECIFIED.

|  |  |                  |
|--|--|------------------|
| BUREAU OF DESIGN SERVICES<br>DIVISION OF HIGHWAYS<br>OHIO DEPARTMENT OF TRANSPORTATION |  | DATE             |
| TRAFFIC CONTROL  |  | 4/1/77<br>4/3/79 |
| SIGN BLANK DETAILS I   |  |                  |
| STANDARD CONSTRUCTION DRAWING TC-52.10   |  |                  |
| APPROVED: <i>[Signature]</i> Engineer of Design Services                               |  |                  |